ILLUSTRATION OF YARD DEFINITIONS






ILLUSTRATION OF ACCESSORY BUILDINGS -PERMITTED LOCATIONS (SECTION 3.6)






ILLUSTRATION OF GROSS FLOOR AREA (GFA) (Non-Residential)

NOTE:


SHADED AREAS ARE EXCLUDED FROM THE GFA CALCULATION FOR THE PURPOSES OF THIS BYLAW

CELLAR OR BASEMENT





FIRST FLOOR



ROOF/MECHANICAL PENTHOUSE






ILLUSTRATION OF GROSS FLOOR AREA (GFA) (Residential)

NOTE:


SHADED AREAS ARE EXCLUDED FROM THE GFA CALCULATION FOR THE PURPOSES OF THIS BYLAW

CELLAR OR BASEMENT





SECOND FLOOR



ATTIC





ILLUSTRATION OF RESIDENTIAL PARKING REGULATIONS (SECTION 3.24.6)





AREA EXCLUDED FROM CALCULATION

LANDSCAPING AREA

GARAGE WIDTH

G

ILLUSTRATION OF DWELLING TYPES




ILLUSTRATION OF DWELLING TYPES




ILLUSTRATION OF BUILDING HEIGHT





ILLUSTRATION OF REQUIRED PARKING SPACE AND AISLE SIZES (SECTION 3.24.3 AND 3.24.4)

NOTES:

WHERE AN AISLE WIDTH IS LESS THAN 6.5m, THE AISLE SHALL PROVIDE FOR TRAFFIC MOVEMENT IN ONE DIRECTION ONLY.

MINIMUM WIDTH OF AN AISLE IS 3.0m

MINIMUM WIDTH OF A PARKING STALL IS 2.75m.



-2.75

ILLUSTRATION OF ACCESSORY BUILDINGS ON CORNER LOT WITH REDUCED HEIGHTS OF 2.2m & 2.5m (SECTION 3.6)

